

## The Canna Champ

440 Collins Street Ormond Beach, FL 32174  
(978) 979-8410  
Project 09/11/2023

## COMPLIANCE FOR RETAIL

### Sample Name: CBD/CBN (50mg) Gummy

Lab Sample ID: F309034-05  
Retail Batch Total Wt/Vol: N/A  
Retail Batch Date: N/A

Matrix: Gummy  
Retail Batch Total Units: N/A  
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 09/11/2023  
Date Received: 09/11/2023  
Date Reported: 09/14/2023



<b>Total Cannabinoids</b>	
<b>2.5%</b>	
<b>Major Cannabinoids</b>	
<b>Total CBD</b>	<b>Total THC</b>
1.27%	ND%
12.7 mg/g	ND mg/g
31.75 mg/Unit	ND mg/Unit
<b>Minor Cannabinoids *</b>	
<b>CBN</b>	<b>delta-8-THC</b>
1.19%	0.0121%
11.9 mg/g	0.121 mg/g
29.75 mg/Unit	0.30 mg/Unit

\* Most abundant

### Cannabinoids


Date Prepared: 09/12/23 17:08      Prep ID: NS      Specimen Prep: 2.4216 g / 10 mL  
Date Analyzed: 09/13/23 11:32      Analyst ID: SP      Instrument: HPLC  
Lab Batch: B23H041      Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results		mg/Serving	
			%	%	mg/g	mg/Unit
CBC	10	0.00413	ND	ND	ND	ND
CBCA	10	0.00413	ND	ND	ND	ND
CBD	100	0.0413	1.27	12.7	31.75	
CBDA	10	0.00413	ND	ND	ND	ND
CBDV	10	0.00413	0.00599	0.060	0.15	
CBDVA	10	0.00413	ND	ND	ND	ND
CBG	10	0.00413	ND	ND	ND	ND
CBGA	10	0.00413	0.00690	0.069	0.17	
CBN	100	0.0413	1.19	11.9	29.75	
delta-8-THC	10	0.00413	0.0121	0.121	0.30	
delta-9-THC	10	0.00413	ND	ND	ND	ND
THCA	10	0.00413	ND	ND	ND	ND
THCV	10	0.00413	ND	ND	ND	ND
THCVA	10	0.00413	ND	ND	ND	ND

#### Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A \* 0.877), Total THC = THCA-A \* 0.877 + Delta 9 THC  
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA  
Testing  
Accreditation#: 109150



Dr. Harry Bezhadi, PhD.  
President, CEO

