

The Canna Champ

440 Collins Street Ormond Beach, FL 32174
(978) 979-8410
Project 05/02/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: D8 Vape

Lab Sample ID: F405020-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Inhalable Product
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 05/01/2024
Date Received: 05/02/2024
Date Reported: 05/07/2024



Terpenes
Not Tested



Heavy Metals
Not Tested



Foreign Materials
Not Tested



Microbiology
Not Tested



Mycotoxins
Not Tested



Residual Solvents
Not Tested




Pesticides
Not Tested



Moisture Content
Not Tested



Water Activity
Not Tested



Total Cannabinoids	
80.9%	
Major Cannabinoids	
Total CBD	Total THC
ND%	ND%
Minor Cannabinoids *	
delta-8-THC	CBN
80.1%	0.529%

Potency as Received

* Most abundant

Cannabinoids

Date Prepared: 05/02/24 11:28
Date Analyzed: 05/03/24 14:22
Lab Batch: B24C042

Prep ID: MC
Analyst ID: CW

Specimen Prep: 0.1013 g / 10 mL
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP15


Analyte	Dilution	LOQ	Results	
			%	mg/g
CBC	10	0.0987	ND	ND
CBCA	10	0.0987	ND	ND
CBD	10	0.0987	ND	ND
CBDA	10	0.0987	ND	ND
CBDV	10	0.0987	ND	ND
CBDVA	10	0.0987	ND	ND
CBG	10	0.0987	ND	ND
CBGA	10	0.0987	ND	ND
CBN	10	0.0987	0.529	5.29
delta-8-THC	100	0.987	80.1	801
delta-9-THC	10	0.0987	ND	ND
THCA	10	0.0987	ND	ND
THCV	10	0.0987	ND	ND
THCVA	10	0.0987	0.262	2.62

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

